


MONUMENT RECORD

Corner ID: **BeBI_Q07**



Section Corner

Sections 10 & 11- T10N-R02W, 2nd P.M.
Bean Blossom Township, Monroe County, Indiana



MONUMENT: Describe monument set or found (Include material type, scribing, distance above/below grade, dimensions.)
0.7' x 0.7' limestone post 3.9' above grade found wrapped in an east/south barbed wire fenceline.

MONUMENT LOCATION SKETCH:



WITNESS MONUMENT TIES

All ties to new Bearing Trees (BTs) are a mag nail set in a 1-1/2" plastic washer stamped "SURVEY MARKER - DO NOT REMOVE" and hack mark at the root crown (less than 12" above ground) perpendicular to the center of the tree, unless otherwise noted. BT diameters are noted as dbh and are measured approximately 4.5' above ground. Bearings are measured from the monument to the center of the BT, distances are measured from the monument to the mag nail.

ID	BEARING	DISTANCE	DESCRIPTION
Witness A	N 52d W	8.9'	Monroe County "Protect Nearby Survey Marker" sign found 4.1' above grade in the southeast side of a 5" red oak per 2010 monument record
Witness B	N 18d E	56.9'	Mag nail and washer set in hack 0.8' above grade in the west side of a 33" bifurcated shag bark hickory
Witness C	S 30d W	17.3'	Mag nail and washer set in hack 0.7' above grade in the west side of a 4" red oak



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph

119 W 7th Street, Bloomington, IN 47404 • 812-349-2570 • surveyoroffice@co.monroe.in.us

Page 1 of 3

MONUMENT RECORD

Corner ID: **BeBI_Q07**

Section Corner

Sections 10 & 11- T10N-R02W, 2nd P.M.
Bean Blossom Township, Monroe County, Indiana

Section 10
T10N-R02W

Section 11
T10N-R02W

PHOTO IDENTIFIED: Photo Date: 03/08/2021



Photo Orientation & Description: Looking south at BeBI_Q07



Photo Orientation & Description: Looking east at BeBI_Q07



Photo Orientation & Description: Looking north at BeBI_Q07

ORIGINAL OR SUBSEQUENT SURVEY EVIDENCE FOUND: Include, search area or areas, search procedure, etc.

Date of Field work/Search: 03/08/2021 & 4/7/2021 By: CAR Monument Found: Limestone Post BTs or Reference Objects Found: Monroe County "Protect Nearby Survey Marker" sign found per 2010 monument record Project #: BeBI Stones Field Book: 54/28 Equipment: The basis of bearings is Grid North System NAD83(2011)/Indiana West NAVD 88, Epoch 2010.0000, geoid12b_conus.db3, US Survey Feet, derived from GPS observations utilizing the Indiana Real-Time Network (INCORS). Coordinate data was collected with a Javad Triumph LS Network Rover. Coordinates are available upon request. Distances to witness ties were collected with a Leica Disto laser distance meter. Bearings to witness ties were collected with the internal magnetic compass of the Javad Triumph LS and were automatically adjusted to grid north and are approximately shown hereon for reference. Priority should be given to provided distances over bearings. Notes: All witness photos on file in the Monroe County Surveyors Office. The Monroe County "Protect Nearby Survey Marker" sign found per 2010 monument record had the wrong tree species noted. Returned on 4/7 and checked bearings and distances on witnesses.

OTHER EVIDENCE: Describe corner location relative to nearby features and how to reach the corner location – note fences, roads, timber cutting lines, mow lines, clearings, plantings, streams, topo changes, etc.

The monument is located at the northwest corner of the property at 8920 N Bottom Rd., at the edge of a field/treeline with an east/south running fenceline. There is a big, rotting ash tree south of the monument in the fenceline. To the north of the monument, there is a small clearing/path that runs east/west with 33" shag bark hickory (witness B) located north of the path.



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph

119 W 7th Street, Bloomington, IN 47404 • 812-349-2570 • surveyoroffice@co.monroe.in.us


Page 2 of 3

MONUMENT RECORD

Corner ID: **BeBI_Q07**

Section Corner

Sections 10 & 11- T10N-R02W, 2nd P.M.
Bean Blossom Township, Monroe County, Indiana



MONUMENT PRESERVATION: *Describe work done to preserve existing monument.*
New coordinates were collected, new witnesses taken, and stone flagged.

THEORY OF LOCATION: *Describe the theory of location for acceptance of this monument. Include monument origin and associated uncertainty.*
The Limestone Post 0.7'x0.7'x0.3.9' was previously witnessed and the Monument Record prepared under the direction of the Monroe County Surveyor, Kevin Enright, on April 6, 2010 and accepted by the Monroe County Surveyor Review Board on April 13, 2010. The 2010 Monument Record accepted the Limestone Post 0.7'x0.7'x0.39' per an 1898 Legal Survey Book 2 page 548 on file in the Surveyor's Office and a 2002 Bill Cloud survey by Michael E. Sheppard on in the Monroe County Recorder's Office, IN2002017640.

CERTIFICATION:



Date: 4/7/2021
Trohn Enright-Randolph
Monroe County Surveyor

Accepted by the Monroe
County Surveyor Review
Board on date: 3/23/2021



MONUMENT RECORD
State of Indiana - County of Monroe

Section: 10

Township: 10 North

Range: 2 West


Corner ID: BeBl Q-07

Monument Description & Remarks: Limestone Post, length 0.70ft, width 0.70ft, height 3.90ft.

Survey Sign 5ft above ground at pt. B


References On File: Legal Survey Book 2 page 548 survey (1898), on file in Surveyor Office and Michael E. Sheppard survey, Bill Cloud (2002), on file in Recorder Office instrument no. 2002017640

RECOVERY TIE DRAWING
Field Book 43 Page No. 70




A - Limestone Post
B - N 61° W 8.80' to Survey
Sign on 3" Shagbark Hickory
C - S 84° E 9.80' to metal "T"
fence post 5ft above ground
D - S 14° E 4.00' to MAG
nail in 26" White Ash

Not To Scale
Compass Bearing Magnetic North



I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 6th day of April, 2010.

Kevin P. Enright



Administered by the Monroe County Surveyor Review Board

Date: 4-13-2010